

Monthly and Seasonal Mean Analyses

June, July, August 1984

ORG S UKMO M

National Meteorological Library
FitzRoy Road, Exeter, Devon. EX1 3PB





3 8078 0007 9240 0

Monthly and Seasonal Mean Analyses


**June, July, August
1984**

**Mean fields obtained from the
archive of operational analyses**

Met O 20 (Dynamical Climatology Branch)
Meteorological Office
London Road
Bracknell
Berkshire RG12 2SZ

July 1987

Note: Permission to quote from this document should be obtained from the Assistant Director of the above Meteorological Branch.



Introduction

The archive of operational analyses contains a continuous record of global analyses every 12 hours (00 and 12 GMT) from May 1983 onwards. They are copies of the update analyses produced in the operational numerical weather prediction system using the 15-level model (Dickinson and Temperton 1984). This publication presents a selection of charts from the archive.

The publication covers a 3-month period and is divided into four sections. Sections 1, 2 and 3 contain charts of the monthly mean fields and section 4 contains charts of the seasonal mean fields for the 3-month period. Each section includes a mean-sea-level pressure chart and composite charts showing fields of height, wind vectors and isotachs for the 850, 500, 250 and 100 mb pressure levels. These charts, on polar stereographic projections, cover the extra-tropical regions of both hemispheres. For the tropical regions, wind vectors and isotachs are presented for the 850 and 250 mb pressure levels. These fields are shown in a series of charts, on a latitude-longitude projection encircling the globe in three sections, covering the longitudes 0°–120°E, 120°E–120°W and 120°W–0°. On all charts contours are depicted as solid lines, wind vectors as arrows and isotachs as dashed lines.


From the start of the archive the global fields have been stored as spectral coefficients using a triangular truncation of T40 (Swinbank 1984), which is approximately equivalent to a latitude-longitude grid with a resolution of 4.5° by 4.5°. Since the model analyses are written up on a 1.5° by 1.875° grid the conversion to spectral coefficients results in some smoothing of the data. The fields are stored in Met O 20 Post-Processing format which consists of a header record containing field and grid information followed by a data record containing the field values. Details of this format may be found in the PP-package manual in Met O 20. Fields available on the archive are as follows:

Field		Pressure level (mb)
Westerly wind component	(m/s)	
Southerly wind component	(m/s)	1000, 850, 700, 500, 400, 300,
Height	(dam)	250, 200, 150, 100, 70, 50
Temperature	(K)	
Relative humidity	(%)	1000, 850, 700, 500, 400, 300
Mean-sea-level pressure	(mb)	


The appropriate tape numbers, file numbers and dataset names can be found by reading the library members on 'M20.NARCHIND' and for recently archived data by reading the dataset 'M20.NARCLST'. Subroutines from the PP-package are used for accessing the data. Examples are shown in Swinbank (1984).

References


- Dickinson, A. and Temperton C. 1984 The Operational Numerical Weather Prediction Model. Met O 11 Technical Note No. 183. Meteorological Office, Bracknell.
- Swinbank, R. 1984 A system to archive operational analyses for research purposes. Met O 20 Technical Note No. II/218. Meteorological Office, Bracknell.



**JUNE
1984**




OPERATIONAL ARCHIVE MEANS. JUNE 1984
PMSL
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 182
LEVEL: SEA LEVEL



CONTOUR INTERVAL: 4 MB UNITS: MB


OPERATIONAL ARCHIVE MEANS. JUNE 1984
PMSL
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 182
LEVEL: SEA LEVEL




CONTOUR INTERVAL: 4 MB UNITS: MB




OPERATIONAL ARCHIVE MEANS. JUNE 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 162
LEVEL: 850 MB




OPERATIONAL ARCHIVE MEANS. JUNE 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 182
LEVEL: 850 MB







OPERATIONAL ARCHIVE MEANS, JUNE 1984
LEVEL: 500 MB
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 02 ON 1/6/1984 DAY 182
TO 122 ON 30/6/1984 DAY 182




OPERATIONAL ARCHIVE MEANS, JUNE 1984
LEVEL: 500 MB
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 182







OPERATIONAL ARCHIVE MEANS, JUNE 1984
HEIGHTS, WIND ARROWS AND ISOTACHS,
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 182
LEVEL: 250 MB




OPERATIONAL ARCHIVE MEANS, JUNE 1984
HEIGHTS, WIND ARROWS AND ISOTACHS,
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 30/6/1984 DAY 182
LEVEL: 250 MB





OPERATIONAL ARCHIVE MEANS. JUNE 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
LEVEL: 100 MB




CONTOUR INTERVAL: 120 M UNITS: 10 M

CONTOUR INTERVAL: 120 M UNITS: 10 M

→ REPRESENTS 40 M/S


→ REPRESENTS 40 M/S

OPERATIONAL ARCHIVE MEANS. JUNE 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
LEVEL: 100 MB




CONTOUR INTERVAL: 120 M UNITS: 10 M


CONTOUR INTERVAL: 120 M UNITS: 10 M




OPERATIONAL ARCHIVE MEANS. JUNE 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
850 MBS.




→ REPRESENTS 10 M/S




OPERATIONAL ARCHIVE MEANS. JUNE 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
850 MBS.




→ REPRESENTS 10 M/S





OPERATIONAL ARCHIVE MEANS. JUNE 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
BETWEEN LONGS. 120 W - 0 W
850 MBS.






OPERATIONAL ARCHIVE MEANS.
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
BETWEEN LONGS. 0 E - 120 E
250 MBS.







OPERATIONAL ARCHIVE MEANS.
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
BETWEEN LONGS. 120 E - 120 W
250 MBS.




→ REPRESENTS 40 M/S



OPERATIONAL ARCHIVE MEANS. JUNE 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 30/6/1984 DAY 182
250 MBS.






→ REPRESENTS 40 M/S






**JULY
1984**

















OPERATIONAL ARCHIVE MEANS. JULY 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/7/1984 DAY 183 TO 12Z ON 31/7/1984 DAY 213
LEVEL: 500 MB

















OPERATIONAL ARCHIVE MEANS. JULY 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 02 ON 1/7/1984 DAY 183 TO 122 ON 31/7/1984 DAY 213
850 MBS.




→ REPRESENTS 10 M/S




OPERATIONAL ARCHIVE MEANS. JULY 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/7/1984 DAY 183 TO 12Z ON 31/7/1984 DAY 213
850 MBS.







OPERATIONAL ARCHIVE MEANS.
WIND ARROWS AND ISOTACHS
AVERAGE FROM 0Z ON 1/7/1984 DAY 183 TO 12Z ON 31/7/1984 DAY 213
BETWEEN LONGS. 120 W - 0 W
850 MBS.




REPRESENTS 10 M/S




OPERATIONAL ARCHIVE MEANS.
JULY 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/7/1984 DAY 183 TO 12Z ON 31/7/1984 DAY 213
BETWEEN LONGS. 0 E - 120 E
250 MBS.




→ REPRESENTS 40 M/S





OPERATIONAL ARCHIVE MEANS. JULY 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/7/1984 DAY 183 TO 12Z ON 31/7/1984 DAY 213
250 MBS. BETWEEN LONGS. 120 E - 120 W








OPERATIONAL ARCHIVE MEANS. JULY 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/7/1984 DAY 183 TO 12Z ON 31/7/1984 DAY 213
250 MBS. 120 W - 0 W









**AUGUST
1984**




















OPERATIONAL ARCHIVE MEANS. AUGUST 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 122 ON 31/8/1984 DAY 244
LEVEL: 250 MB







OPERATIONAL ARCHIVE MEANS. AUGUST 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 02 ON 1/8/1984 DAY 214 TO 122 ON 31/8/1984 DAY 244
LEVEL: 100 MB





OPERATIONAL ARCHIVE MEANS. AUGUST 1984
 HEIGHTS, WIND ARROWS AND ISOTACHS.
 AVERAGE FROM 02 ON 1/8/1984 DAY 214 TO 12
 LEVEL: 100 MB







OPERATIONAL ARCHIVE MEANS. AUGUST 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 12Z ON 31/8/1984 DAY 244
BETWEEN LONGS. 0 E - 120 E
850 MBS.







OPERATIONAL ARCHIVE MEANS, AUGUST 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 12Z ON 31/8/1984 DAY 244
850 MBS.






OPERATIONAL ARCHIVE MEANS. AUGUST 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 12Z ON 31/8/1984 DAY 244
850 MBS. 120 W - 0 W







OPERATIONAL ARCHIVE MEANS. AUGUST 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 12Z ON 31/8/1984 DAY 244
BETWEEN LONGS. 0 E - 120 E
250 MBS.




→ REPRESENTS 40 M/S




OPERATIONAL ARCHIVE MEANS. AUGUST 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 12Z ON 31/8/1984 DAY 244
250 MBS.




REPRESENTS 4.0 M/S



OPERATIONAL ARCHIVE MEANS. AUGUST 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/8/1984 DAY 214 TO 12Z ON 31/8/1984 DAY 244
250 MBS. 120 W - 0 W




→ REPRESENTS 40 M/S




**JUNE/JULY/AUGUST
1984**






OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
PMSL
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 31/8/1984 DAY 244
LEVEL: SEA LEVEL




OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
PMSL
AVERAGE FROM 02 ON 1/6/1984 DAY 153 TO 122 ON 31/8/1984 DAY 244
LEVEL: SEA LEVEL












OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 122 ON 31/8/1984 DAY 244
LEVEL: 500 MB









OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 122 ON 31/8/1984 DAY 244
LEVEL: 250 MB




OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
HEIGHTS, WIND ARROWS AND ISOTACHS.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 122 ON 31/8/1984 DAY 244
LEVEL: 250 MB













OPERATIONAL ARCHIVE MEANS.
JUN/JUL/AUG 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 31/8/1984 DAY 244
850 MBS.






OPERATIONAL ARCHIVE MEANS.
WIND ARROWS AND ISOTACHS JUN/JUL/AUG 1984
BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 31/8/1984 DAY 244
850 MBS.







OPERATIONAL ARCHIVE MEANS.
WIND ARROWS AND ISOTACHS
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 31/8/1984 DAY 244
BETWEEN LONGS. 120 W - 0 W
850 MBS.




→ REPRESENTS 10 M/S





OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
 WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
 AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 31/8/1984 DAY 244
 250 MBS. BETWEEN LONGS. 0 E - 120 E






OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 31/8/1984 DAY 2444
BETWEEN LONGS. 120 E - 120 W
250 MBS.





OPERATIONAL ARCHIVE MEANS. JUN/JUL/AUG 1984
WIND ARROWS AND ISOTACHS BETWEEN LATS. 45 N - 45 S.
AVERAGE FROM 0Z ON 1/6/1984 DAY 153 TO 12Z ON 31/8/1984 DAY 244
250 MBS.



→ REPRESENTS 40 M/S



