

FORECASTERS' REFERENCE BOOK — INDEX

A

Absolute vorticity	8.3.3; 8.7.2
Accretion, ice	2.9
Accuracy, (forecasting)	11.4.2.2
— Brier Score	11.4.2.2
Advection	
— fog	3.4
— warm/cold (use of hodograph)	1.1.4
— stratus from sea	5.6.5
Ageostrophic motion	1.1.3.1; 8.2
— acceleration/deceleration	8.2
— curvature	1.1.2.3; 8.2.3.2
— friction	8.2.2
— isallobaric effects	8.2.3.3
— latitude effect	8.2.3.4
— thermal advection	8.1.1
Airborne visibility	3.9.3.1
Aircraft	
— contrails	5.3
— icing	2.9
— turbulence, response	1.2.2.3; 6.1.3; 6.2.1
— visibility	3.1; 3.9.2; 3.9.3.1
Airflow	
— over hills,	1.3.2; 1.3.2.5–1.3.2.8
— complex terrain	1.3.2.9
— different surfaces	1.3.2.10
— with capping inversion	1.3.2.8
Air mass	
— diurnal temperature variations	2.2
— stratus	5.5
Air quality	Ch. 12
Albedo	10.2.1
Anabatic winds	1.3.3.1
Anafront	7.1.1.1; 10.4.1.1
Anomalous propagation (anaprop)	10.6.1
Anticyclones	
— blocking high	7.4.6.3; 8.4.5
— cold	7.4.6.1
— development	8.2.3.1
— warm	7.4.6.2
Arc cloud	4.7.5; 10.3.1
Assimilation	9.3
Atmospheric dispersion	Ch. 12
Aviation — forecasting weather below 15,000 feet	Appendix IV

B

Baroclinicity	7.1.3; 7.1.7.1; 7.2.2; 8.1; 8.5
Barotropic region	8.5
Barthram's method	
— fog clearance	3.3.4.1
— hourly temperature fall	2.4.2.3
Bias, (mean error) in forecasts	11.4.2.1

Block	
— diffluent	8.4.5
— Omega	8.4.5
— situation	8.4.5
Bow waves (cloud)	10.3.2
Boyden	
— instability index	4.7.2
— snow/rain predictor	5.10.1.1
Booth's method (snow/rain predictor)	5.10.1.6
Bretschneider (swell height graphs)	13.1.3
Brier Score (forecast accuracy)	11.4.2.2
Bright band (radar)	10.6.1

C

Callen and Prescott's method for T_{\max}	2.3.3
CAPE	4.7.7.5
Casswell, mountain waves method	1.3.2.2
Chance, risk, threat (probability)	11.3.3
Cirrus	1.3.2.1; 5.2.4
Clear Air Turbulence	
— dimensions	6.1.3
— duration	6.1.3
— indicators	6.1.3.1
— predictors	6.1.3.2
Climatology of snow	5.11.1
Cloud	
— bands	7.1; 10.3
— base, Cu	4.2.2
— head	4.2.3; 7.3.4; 10.5.1.3
— depth (Cu)	4.2; 4.5.2
— layer formation	5.1
— frontal	5.2.1
— lifetime (Cu, Cb)	4.5.2.1
— sheet break-up	4.4.3
— streets	4.3.2.1; 10.3.1.1
— tops	4.2.3
Cloud-type identification (imagery);	
Cu, Sc, St/fog, contrails	10.2; 10.3
medium & high level, wave clouds, lee eddies	
Cold advection	1.1.4; 8.2.3.3; 8.4.1
Cold frontal structure	7.1.1; 10.4.1.1
Cold soak (aircraft icing)	2.9.2.2
Cold air vortices	7.1.7.1
Comma clouds	7.1.7.1
Conceptual models	7.1
Condensation level, Cu	4.2.2.1
Condensation trails	
— formation	5.3
— imagery	10.3.5.1
— MINTRA	5.3.1
— modern engines	5.3.2
Conditional symmetric instability (slantwise convection, SCAPE)	2.9.10; 7.1.5
Confluence	8.2.3.2
Continental clouds	4.5.1
Contingency table (probability forecasts)	11.4.2; 11.6.1
Contour gradient	1.1.1

Convection	
— slantwise	2.9.10; 7.1.5
— waves	4.3.2.1
Convective activity	
— above fog	3.7
— shallow	4.3.2
— topographically related	4.6
Convective gusts	6.2.2.3
Convective systems, mesoscale, multicell, supercell	4.7.7
Convergence	8.2.3.1; 8.2.3.2
Convergence zone,	
— frontal	7.2
— coastal	1.3.1.1; 1.3.1.2
Conveyor belt (warm, cold)	7.1.2; 7.1.3; 7.1.4
Cooling, of air by precipitation	2.8
Coriolis force	1.1.1; 8.2.3.4
— effect (sea waves)	13.2.1.4
Craddock and Pritchard's method — minimum temperature	2.4.2.2
Cumulonimbus forecasting	4.7
Cumulus	
— cellular pattern over land and sea	10.3.1.1; 10.3.1.2
— cloud base	4.2.2
— condensation level	4.2.2.1
— depth of convection	4.5.2
— satellite imagery interpretation	10.3.1
— spread to Sc	4.4.2; 10.3.1.3
— tops	4.2.3
Curvature	1.1.2.3; 8.2.3.2
Cyclogenesis,	
— development	8.8.2; 10.5.1.2
— explosive	7.3; 10.5
— precipitation	7.3.6
— satellite imagery	7.3.4; 10.5
— type	10.5.1.2
D	
Darbyshire–Draper graphs (shallow water waves)	13.1.1.2
Daughter cells (Cb)	4.7.7.5
Daytime rise of surface temperature	2.3
— forecast T_{\max} (Callen & Prescott)	2.3.3
— Jefferson's method	2.3.2
Deformation	8.1.1
Deposition processes	12.3
Development	Ch. 8
— areas	8.2.3
— blocking	8.4.5
— downstream	8.4.3
— level of non-divergence	8.1.2
— PV view	8.8.2
— self	8.5
— trough disruption	8.4.4
— upper features	8.4
Dew (icy road forecasting)	2.6.2
Dew point	2.1.1; 4.2.2; 4.2.3; 4.3.3.1; 5.1; 5.2.1
Dispersion (and air quality)	Ch. 12

Dispersion within the boundary layer	12.2
— flows near fronts	12.2.2.3
— mesoscale	12.2.2.2
— Pasquill stability criteria	12.2.1.1
— plume characteristics	12.2.1.2
— topography	12.2.2.2
Disruption of trough	8.4.4
Diurnal temperature variations in different air masses	2.2
Diurnal variation, haze	3.9.4
Divergence	8.2
Downdraughts	1.2.2.3; 2.8.3; 4.7.7; 6.2.2.4; 6.2.4.2
Downslope winds	1.3.2.1; 1.3.3.4
Drizzle forecasting	5.8.2
Dry intrusion/slot/wedge	7.3.4; 7.3.6; 10.5.1; 10.5.1.4
Dry line (severe local storm identification)	4.7.8.1
Dusk temperature — Saunders' method	2.4.1
Dust & smoke plumes (imagery)	10.3.6.3

E

Emission, pollutants	12.1.1
— acid rain	12.1.4
— chemical & nuclear releases	12.1.5
— smog	12.1.3
— types	12.1.2
Ensemble forecasting (NWP)	9.5.5
Equivalent temperature	2.1.1
Explosive cyclogenesis	7.3; 10.5

F

Factorization (probability forecasting)	11.6
— likelihood	11.6.3
— reliability	11.6.2
Fawbush and Miller — thunderstorm gust estimate	6.2.2.4
Fetch, sea	13.1.1; 13.3
File method (visibility forecasting)	3.9.7.1
Fog	
— advection	3.4
— clearance forecasting	3.3.4; 3.3.4.4
— favourable conditions	3.3.2
— formation forecasting	3.3.3
— freezing	2.6.2
— frontal	3.6
— imagery	3.8; 10.3.3
— modifying factors	3.3.2.2
— persistence	3.3.4.3
— physics of formation	3.3.1
— point (Craddock & Pritchard)	3.3.3.2
— point (Saunders)	3.3.3.1
— Potential Index	3.3.3.5
— radiation, forecasting summary	3.3.3.5
— satellite identification	10.3.3
— types	3.2.1
— upslope	3.5
Föhn	1.3.3.6
Forcing	8.6.1
Forecasting stratus	5.6

Forecasts — probability	11.1; 11.2
Freezing rain/drizzle	2.6.2; 5.9.7
Frequency (probability contingency tables)	11.6.1
Friction	1.2.1; 1.2.2.1; 1.3.2.10; 8.2.2; 8.2.3.1
Front	
— ana	7.1.1
— kata	7.1.1
— split	7.1.3.2
Frontal (and non-frontal) systems	Ch. 7
Frontal analysis	7.2
— fog	3.6
— line convection	7.1.6.1
— precipitation	5.9.1
— rain bands	7.1.6
— vertical motion	1.1.4.1
— vertical wind shear	1.2.2
— zone	1.1.4; 7.2.1
Frontogenesis — frontolysis	7.1.1; 8.6.2
— shearing	8.5
Frontogenetic flow patterns	8.1; 8.5.1
Frost, air	
— severity	2.4.4
— hoar	2.6.2; 2.6.2.1; 2.9.1
Froude number	1.3.2.1

G

Geostrophic wind	1.1.1
Gliders, thermal forecasting	4.3.3
Global Model (NWP)	9.2; 9.5.1
— characteristics	9.4
— comparison with LAM	9.5.2
— output	9.5
— guidance	9.5
— resolution	9.3.1
Gradient wind	1.1.2
Gravity waves	1.3.2
Guidance, improving on	9.5; 11.3
Gusts (and turbulence)	Ch. 6
Gusts	
— forecasting (strong wind situations; thunderstorms)	6.2.2.3; 6.2.2.5
— front (outflow)	4.7.5
— over hills	6.2.2.1
— ratios	6.2.2
— squalls	4.7.6; 6.2.3
— wind direction changes	6.2.2.5

H

Haar	5.5.1; 5.6.5; 5.6.6; 5.9.2
Hail	4.7.3
Hand's method (rain/snow)	5.10.1.3
Haze	3.9
— depth	3.9.3
— dispersion	3.9.5
— diurnal variation	3.9.4
— occurrence	3.9.2
— particles	3.9.1

— pollution	3.1; 3.9
— synoptic conditions favouring	3.9.6
— visibility forecasting methods	3.9.7
Heat	
— island (urban)	2.11
— stress	2.10
Helicopter icing	2.9.2.1
Helm Bar	1.3.3.4
Hills — airflow	1.3.2
Hoar frost	2.6.2; 2.6.2.1; 2.9.1
Hodograph	1.1.4
— Frontal identification	1.1.4
— warm & cold advection	1.1.4

I

Icing	
— accretion	2.9.1
— airframe	2.9.2
— cloud-type	2.9.7; 2.9.7.5
— engine	2.9.3
— helicopter	2.9.2.1
— liquid water content	2.9.5
— probability	2.9.7.5
— ship	2.9.11
— types (hoar, rime, rain-ice, pack-snow)	2.9.1
Imagery	
— interpretation, signatures	10.2; 10.3
— IR	10.2.2; 10.2.3
— VIS	10.2.1; 10.2.3
— water vapour (WV)	10.2.4
Improving forecasts	11.3.4
Infrared (IR) imagery	10.2.2; 10.2.3
Instability	
— conditional	4.1.1
— indices	4.7.2
— latent	4.1.1
— potential	4.1.1
Instant occlusion	7.1.7.2
Inversion — capping	1.3.2.8
Isallobaric	
— pattern	8.2.3.3
— wind	8.2.3.3
Isentropes	7.2.1; 8.8.2

J

James' rule (Sc)	5.8.2.1
Jefferson	
— instability index	4.7.2
— method for forecasting daytime temperature rise	2.3.2
Jet	1.1.5; 7.1
— configurations	10.4.1.4
— core	1.1.5.1
— cross-section	7.2.1
— development areas	8.2.3.1
— low-level	1.2.3
— nocturnal	1.2.2.4

— overlapping	1.1.5.3
— polar front	1.1.5.1
— subtropical	1.1.5.2

K

Katabatic winds	1.3.3.2
Katafront	10.4
Kinetic heating (aircraft icing)	2.9.2.2
Kraus' rule (Sc)	5.8.2.2

L

Lapse rates	1.2.1.1; 1.2.2.2; 2.1; 4.2; 6.2.1.2
Layer clouds (and precipitation)	Ch. 5
Lee eddies	1.3.2.1; 1.3.2.8; 10.3
Lee waves	1.3.2
Lightning	4.7.4; 10.7
Limited Area Model (LAM), (NWP)	9.2; 9.3
— comparison with MM & GM	9.5.3
— resolution	9.3.1
Line convection	7.1.6.1
Liquid water content (aircraft icing)	2.9.5
Lows	
— heat	7.4.2.1
— old	7.4.1
— orographic	7.4.3
— polar	7.4.2.2
— thermal	7.4.2
Lumb, snow predictor	5.10.1.5

M

Maximum temperature	2.3
McKenzie's method for T_{\min}	2.4.2.1
Mesoscale model	9.2
— compared with LAM	9.5.3
— resolution	9.3.1; 9.5
Mesoscale rain bands	7.1.6
Meridional — extension of trough	8.4
Mesoscale convectively complex systems (MCC)	4.7.7.3
Mesoscale Model (NWP)	9.2
— resolution	9.3.1
Meteorological satellites	10.1
— visible, infrared and water vapour imagery	10.2
Microbursts	6.2.4
Middle Wallop (visibility forecasting method)	3.9.7.2
Minimum temperature	
— air	2.4.2
— Craddock & Pritchard's method	2.4.2.2
— McKenzie's method	2.4.2.1
— concrete	2.5
— grass	2.5
— roads	2.5.4; 2.6
— snow cover influence	2.4.3
MINTRA line (contrails)	5.3.1
Model characteristics — see NWP	9.4
Model Output Statistics (NWP)	2.12; 9.4.4; 9.5.4

Mountain	
— complications (layer-cloud precipitation)	5.9.6
— waves	1.3.2.1
Multicell convective systems	4.7.7; 10.5

N

Nocturnal	
— jet	1.2.2.4
— land breeze	1.3.1.2
— temperature fall	2.4
Non-divergence, level of	8.1.2
Non-frontal systems	5.9.1.3; 7.4
Normand's theorem	2.1.1; 4.2.1
NWP	
— cloud water	9.3.2.3
— dynamic precipitation	9.3.2.3
— guidance to interpretation	9.5
— phase change	9.3.2.2
— precipitation	9.3.2; 9.4.2; 9.4.3
— pressure over mountains	9.4.6
— resolution limits	9.3.1
— shower forecasts	9.3.2.1
— T- ϕ s	9.4.7
— verification	9.5

O

Occlusion	
— imagery interpretation	10.4.1.3
— instant	7.1.7.2
Omega	
— block	8.4.5
— equation	
— discussion/interpretation	8.6.1
— Q-vector form	8.6.2
Operational models (NWP)	9.1
Orographic	
— airflow	1.3.2
— clouds	5.4.2
— enhancement	5.9.5; 10.6.2
— uplift	1.3.2.6; 5.4
Outflow	4.7.5

P

Parcel method, convective cloud	4.2.1
Persistent fogs	3.3.4.3
Phase	
— locked	8.5.1
— precipitation (NWP)	9.3.2.2
Plume dispersion models	12.2
Polar trough	7.4.2.2
Potential temperature	2.1.1
— wet bulb	2.1.1
Potential vorticity	8.8
Precipitation (and layer cloud)	Ch. 5
— cooling of air	2.8
— forecast (NWP)	9.3.2.1; 9.4.2; 9.4.3

— forecasts (probability)	11.3
— frontal depressions	5.9.1; 7.1
— intensities	5.9.1.1
— layer clouds	5.9
— non-frontal	5.9.1
— phase	9.3.2.2
Pressure gradient	1.1
Probability (forecasts)	Ch. 11
— area	11.2
— average point	11.2
— characteristics	11.3.5.1; 11.4.1
— conditional	11.2
— forecasts	11.3.3
— interpretation	11.1
— practical considerations	11.3
— precipitation (PoP)	11.1.1; 11.3.2; 11.5; 11.6.1
— Skill Score (PSS)	11.4.2.3
Progression/retrogression	8.2.3.4

Q

Quantity of precipitation from layer clouds	5.9.1.4
Quasi-geostrophic omega equation	8.6
— Q vector	8.6.2

R

Rackliff instability index	4.7.2
Radar rainfall measurements	10.6
— limitations	10.6.1
— meteorological features	10.6.2
Rain bands	10.6.2
— narrow	7.1.6.1
— wide	7.1.6.2
Rain ice	2.8.1; 2.9.1; 5.9.8
Reliability (forecasts/observations)	11.4.2.1
— Bias (mean error)	11.4.2.1
Remote sensing	Ch. 10
Retrogression	8.2.3.4
Rime	2.8.1; 2.9.1
Risk of (probability forecasting)	11.3.3
Road surface conditions (forecasting)	2.5.4; 2.6
— hoar frost	2.6.2.1
— ice	2.6.2
— site differences	2.6.1
Rope cloud	7.1.6.1; 10.4.1.1
Rotor streaming	1.3.3.5; 6.2.2.2
Roughness, surface	1.2.2.1; 6.2.1.2

S

Salt spray (visibility)	3.10
Saunders' method	
— dusk temperature	2.4.1
— radiation fog formation	3.3.3.1
SCAPE (slantwise convective potential energy)	2.9.10; 7.1.5

Sea	
— breezes	1.3.1; 10.3.1.1; 10.6.2; 12.2.2.1
— swell and waves	13.1
Sea waves and surges	Ch. 13
Secondary lows	7.4.2.2
Seeder/feeder mechanism	5.9.5
Sferics (and lightning)	4.7.4; 10.7
Ship — icing	2.9.11
Ships' trails (imagery)	10.3.6.2
Shoreline — wave conditions	13.1.2
Short-wave trough	7.3.3
Shower	
— depth for precipitation	4.5.2
— forecasting	4.5
— forecasting (NWP)	9.3.2.1
— intensities	4.5.2.2
— updraught	4.5.1
— wind shear	4.5.3
Shutts, mountain waves method	1.3.2.3
Skill (forecasting)	11.4.2.3
— Probability Skill Score (PSS)	11.4.2.3
Slantwise convection	2.9.10; 7.1.5
Slice tops— convection	4.2.1
Slope/valley winds	1.3.3
Smog	12.1
Snow	5.11
— drifting	5.11.4
— forecasting criteria (snow/rain)	5.10
— high ground	5.11.3
— lying	2.4.3; 5.11.1; 5.11.2
— synoptic conditions	5.11.1
— thawing	5.11.6
— visibility	3.10; 5.11.5
Snow and ice cover (imagery)	10.3.6.1
Spanish Plume	4.7.8.1
Speed-up at hill crest	1.3.2.5
Split front	7.1.3.2
Squalls	4.7.6; 6.2.3
Static discharge (towed targets)	4.7.4.1
Steering level, thunderstorms	4.7.1.1
Storms, severe	4.7.8
Storm surges	13.2
Storm Tide Warning Service	13.2.2.1
Stratocumulus	4.4; 10.3.1.3
— formation, dispersal	5.6; 5.8.1
— physics of formation, dispersion	5.7
Stratus	
— advection from sea	5.6.5
— base	5.6.3
— clearance	5.6.6
— formation	5.1
— satellite identification	10.3.3
— tops	5.6.4
— upslope	5.4.1
Streets, downwind cloud patterns	4.3.2.1
Sun glint (imagery)	10.2.1
Supercell	4.7.7.4
Surface boundary conditions (NWP)	9.3.3

Surface wind	1.2
Surges, storm	13.2
— causes	13.2.1
— forecasting	13.2.3
— frequency and extremes	13.2.2.3
— negative	13.2.2.2
— North Sea	13.2.2.1
— risk areas	13.2.2.4
Sutcliffe development theory	8.7
Swell, sea	
— definition	13.3
— height	13.1.3

T

Temperature	Ch. 2
Temperature — hourly fall by night (Barthram's method)	2.4.2.3
Thermal	
— advection	8.6.1
— lows	7.4.2
— wind	1.1.3.2; 8.1
— maps	2.6.2.1
— stress, man and animals	2.10
Thermals, for gliding	4.3.3
T- ϕ constructions	2.1.1
— hourly temperature rise	2.3.1
— convective cloud	4.1
— NWP	9.4.7
Temperature Humidity Index (THI)	2.10.2
Thickness	8.4.1; 8.4.3; 8.5
Threat (probability forecasting)	11.3.3
Thunderstorm	
— CAPE	4.7.7.5
— favourable conditions	4.7.8.1
— forecasting	4.7.2; 4.7.8
— MCC systems	4.7.7.3
— supercells	4.7.7.4
— vertical wind shear	4.7.7.1
Tidal currents	13.1.5
Topography, and dispersion	12.2.2.2
Tornadoes	6.2.4.1
Trajectories, air	1.1.2.3
Trough	10.4.1.5
— disruption	8.4.4
— extension	8.4.4
— meridional extension	8.4.3
— short-wave systems	7.3.3
Trough/ridge amplitude	8.2
Turbulence	
— aircraft response	1.2.2.3; 6.1.4
— convective	6.1.1
— description	6.1.1
— free atmosphere	6.1
— indicators	6.1.3.1
— mountain wave	1.3.2.1; 6.2.2.1
— surface, near	1.3.3.5; 6.2

U

Unified Model (NWP)	9.2
Updraughts	1.3.2.6; 4.3.3
Uplift, orographic	5.4
Upper trough	8.4.3
Upslope	
— stratus	5.4.1
— fog	3.5
Urban	
— circulation	2.11
— dispersion of pollutants	12.2
— heat island	2.11
— (and rural) roads	2.6.1.1

V

Valley winds	1.3.3.3
Varl�y — snow predictor	5.10.1.7
Verification	
— accuracy	11.4.2.2
— characteristics	11.4.1
— reliability	11.4.2.1
— scatter diagram	11.4.2.1
— skill	11.4.2.3
Vertical velocities and slope	1.3.2.6
Vertical wind shear	1.2.2
Visibility	Ch. 3
— airborne	3.9.3.1
— changes associated with relative humidity changes	3.9.7.3
— File forecasting method	3.9.7.1
— forecasting	3.9.7
— haze	3.9.1; 3.9.7
— Middle Wallop forecasting method	3.9.7.2
— precipitation and spray	3.10; 5.11.5
Visible imagery (VIS)	10.2.1
Vorticity	8.3
— advection	8.3.1; 8.4.2; 8.6.1.2
— absolute	8.3.1; 8.7.2
— equation	8.3.1
— isentropic potential	8.8.2
— local rate of change	8.3.3; 8.7.2
— potential	8.8
— Sutcliffe theory	8.7

W

Warm advection	8.4; 8.4.3
Warm fronts	
— clouds	5.2.1
— imagery	10.4.1.2
Water vapour imagery	10.2.4
Waves	
— cross-wind cloud patterns	4.3.2.1
— definitions	13.3
— extreme	13.1.4.4
— maximum	13.1.4
— sea, deep water	13.1.1.1
— sea, shallow water	13.1.1.2

— set-up	13.2.1.3
— shoreline refraction	13.1.2
— swell	13.1.4.2
— wind	13.1.4.1
Wet bulb	
— temperature	2.1.1
— potential temperature	2.1.1; 5.10.1.4; 7.2.1
— technique for snow/rain forecasting (Lumb)	5.10.1.5
Wind	Ch. 1
— ageostrophic	8.2
— downslope	1.3.3.4
— Föhn	1.3.3.6
— free atmosphere	1.1
— geostrophic	1.1.1
— local	1.3
— near surface	1.2
— rotor streaming	1.3.3.5
— shear	1.1.5.1; 1.2.2
— slope and valley	1.3.3
— urban	1.3.4; 2.11
Wind chill	1.3.5; 2.10

X

X section

— front	7.2.1
— jet development areas; potential vorticity anomalies	8.2; 8.8

Y

Yachting

— gusts (wind direction changes)	6.2.2.5
— gusts during Fastnet Race, 1979	6.2.2.3

Z

Z-R relationship (radar reflectivity/drop size)	10.6.1
---	--------

